



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/320,950	05/27/1999	JOHN N. GLOVER	2797.004	5662

7590 06/07/2005
BEN D. TOBOR
BRACEWELL & PATTERSON, LLP
P.O. Box 61389
HOUSTON, TX 77002

EXAMINER

SORKIN, DAVID L

ART UNIT	PAPER NUMBER
----------	--------------

1723

DATE MAILED: 06/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/320,950

Applicant(s)

GLOVER, JOHN N.

Examiner

David L. Sorkin

Art Unit

1723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2005.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 59,61-67 and 69-85 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 59, 61-67 and 69-85 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 82-85 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. These claims contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention. Recitation in claims 82-85 that "the outer periphery has sharp edges" is considered to be new matter. No discussion of the issue of edge sharpness is found in the originally filed disclosure.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 59, 61-67 and 69-81 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kramer (US 4,615,796) in view of "CE Refresher: Catalyst Engineering, Part 2" by John Fulton ("Fulton" herein). Regarding claims 59 and 78, Kramer ('796) discloses a method of fluid distribution in a chemical reactor comprising the steps of providing a layer of a plurality of ceramic filter units (see col. 3, lines 34-40;

Art Unit: 1723

Figs. 1 and 2); contacting an organic based stream with the layer of the plurality of ceramic filter units and passing the organic-based stream through the layer prior to the organic based feed stream contacting a catalyst bed in the chemical reactor (see col. 2, lines 20-25; Figs. 1 and 2). Kramer ('796) fails to disclose the units having 3 or more passages surrounding a central passage, through which fluid flows (although annular units, including ones with passages are disclosed in Table 1). Fulton teaches cylindrical units having a central opening and four circular/elliptical openings between the central opening and the periphery (see Fig. 1, third column, fifth row). Note: it is considered that the broadest reasonable definition of ellipse includes circles; just as squares are a special type of rectangle, circles are a special type of ellipse. It is considered that it would have been obvious to one of ordinary skill in the art to have shaped the units of Kramer according to the teachings of Fulton, because Kramer explains that alternative unit shapes may be used in the disclosed processes (see Table 2 and col. 4, lines 1-4). Furthermore, Fulton teaches the above-mentioned shape as an alternative to other shapes including spheres (see page 97) and explains that passages in the units can significantly reduce the amount of material needed, while minimizing loss of strength (see pages 97 and 98, Fig. 3). See also the admitted prior art of page 3, lines 7-18 of the instant specification. Regarding claim 61, Kramer ('796) further discloses removing contaminants from a contaminated stream; and providing the contaminated stream to a catalyst bed for further processing in the chemical reactor (see col. 1, lines 52-60; col. 3, lines 4-22; Figs. 1 and 2). Regarding claims 62 and 63, because "packing factor" can be set to any value for a given shape unit merely by varying the size of the unit, and

Art Unit: 1723

Kramer ('796) explains that unit size should be selected to according to an expected particle size to be filtered out, it is considered that it would have been obvious to one of ordinary skill in the art to have optimized the packing factor to suit a particular expected contaminate particle size. Further regarding claim 63, Kramer ('796) discloses packing the ceramic filter units in graduated layers into the chemical reactor with each layer having a different packing factor (see examples 1-3). Regarding claim 64, Fulton further teaches units may have a flute outer periphery (see Fig. 1). Regarding claim 65, Fulton further teaches that units may have a plurality of recessed notches extending inwardly from the outer periphery toward the medial portion of the units (see Fig. 1). Regarding claim 66, in the units taught by Fulton the four openings substantially surround the central opening between the central opening and the outer periphery to thereby define a ring around the central opening (see Fig. 1). Regarding claim 67, Kramer ('796) discloses a method of fluid distribution in a chemical reactor comprising the steps of providing a layer of a plurality of ceramic filter units (see col. 3, lines 34-40; Figs. 1 and 2); contacting an organic based stream with the layer of the plurality of ceramic filter units and passing the organic-based stream through the layer prior to the organic based feed stream contacting a catalyst be in the chemical reactor (see col. 2, lines 20-25; Figs. 1 and 2). Kramer ('796) fails to disclose the polygonal units having 3 or more passages surrounding a central passage, through which fluid flows. Fulton teaches units having a central opening and four circular/elliptical openings between the central opening and the periphery (see Fig. 1, third column, fifth row). Note: it is considered that the broadest reasonable definition of ellipse includes circles; just as

Art Unit: 1723

squares are a special type of rectangle, circles are a special type of ellipse. Polygonal units are also taught (see Fig. 1). It is considered that it would have been obvious to one of ordinary skill in the art to have shaped the units of Kramer according to the teachings of Fulton, because Kramer ('796) explains that alternative unit shapes may be used in the disclosed processes (see Table 2 and col. 4, lines 1-4). Furthermore, Fulton teaches the above-mentioned shapes as an alternative to other shapes including spheres (see page 97) and explains that passages in the units can significantly reduce the amount of material needed, while minimizing loss of strength (see pages 97 and 98, Fig. 3). Fulton also notes in the caption of Fig. 1, that the shapes "represent only a few of the almost limitless variety possible". Regarding claim 69, Kramer ('796) further discloses removing contaminants from a contaminated stream; and providing the contaminated stream to a catalyst bed for further processing in the chemical reactor (see col. 1, lines 52-60; col. 3, lines 4-22; Figs. 1 and 2). Regarding claims 70 and 76, Fulton further teaches that units may have a plurality of recessed notches extending inwardly from the outer periphery toward the medial portion of the units (see Fig. 1). Regarding claim 71-75, square and rectangular shapes are disclosed in Fig. 1 of Fulton. It is explained that the size of the units should be selected based upon various economic trade-offs (see pages 98-99). Kramer provides examples of unit sizes being 0.5 inches and other sizes within the claimed ranges (see example 1-3). Also see applicant's admission on page 3, lines 7-10 regarding prior art thickness of "3/8 inch" and "approximately 1/8 inch to 1 1/4 inches in diameter". Regarding claim 77, in the units taught by Fulton the four openings substantially surround the central opening between

Art Unit: 1723

the central opening and the outer periphery to thereby define a ring around the central opening (see Fig. 1). Regarding claims 79-81, the central opening taught by Fulton is circular (see Fig. 1, third column, fifth row).

Response to Arguments

5. Applicant argues that “Kramer does not disclose a method of *fluid distribution*, but rather a method of *filtering*”. However, Kramer discloses feeding fluid to a bed of particles. That fluid is distributed upon being feed through a bed of particles is inherent. It is also noted that the instant application, in the first sentence of the background of the invention, states “The invention relates to a filtering medium and method for filtering”; therefore, that the fluid distribution method Kramer involves filtering makes it identical to the instant application in this respect.

6. Contrary to applicant’s allegations, Kramer discloses examples of shapes other than spheres. Many experimental results for cylindrical units are given in Table 2.

7. The declaration of John N. Glover has been considered, but does not place the claims in condition for allowance. Considering the broadest reasonable definition of ellipse to include circles, prior art products C and D are within the scope of the ceramic filter unit claim limitations of the independent claims. Even if a narrow definition of ellipse were employed, circles would at best be infinitesimally different form an ellipse. Unexpected results for the entire scope of the claims are not possible when the difference between the prior art shape and claimed shape is infinitesimal. Mr. Glover did not evaluate the relied upon “Fulton” shape unit with a central opening and four surrounding openings. Mr. Fulton does not state the dimensions of the ellipses and

Art Unit: 1723

does not make any attempt to show unexpected results over the entire range of ellipses. Instead Mr. Glover's result show that even with elliptical openings, two out of three test unit types have zero active cells greater than 6 cells from the center.

Conclusion

8. Applicant's amendment necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David L. Sorkin whose telephone number is 571-272-1148. The examiner can normally be reached on 9:00 -5:30 Mon.-Fri..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L. Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


David L. Sorkin
Primary Examiner
Art Unit 1723

DLS